



Dexabiopen

Wide Spectrum Anti infective + Anti-inflammatory Therapy



Pharmaceutical Form

Injectable suspension.

Composition per ml

Procaine Benzylpenicillin	200.000 I.U.
Dihydrostreptomycin (sulphate)	200 mg.
Dexamethasone (21-sodium phosphate)	0,50 mg.

Indications

Cattle, swine, horse, dogs and cats.

Treatment infections caused by microorganisms sensitive to penicillin and streptomycin: haemorrhagic septicaemia, colibacillosis, complicated influenza, pneumonia, bronchopneumonia, mastitis, metritis, salmonellosis, leptospirosis, spirochaetosis, gangrenes, tetanus, anthrax, etc.

Administration Route

Deep Intramuscular injection.

Dosage and administration

Cattle and horses: 15-20 ml per animal and day.

Foals and calves: 5-10 ml per animal and day.

Boars and sows: 5-10 ml per animal and day.

Fattening pigs: 2-4 ml per animal and day.

Piglets: 0,5-1 ml per animal and day.

Dogs and cats: 1-2 ml per animal and day.

Treatment shall continue until the relief of symptoms.

Withdrawal period

Meat: 30 days.

Milk: 3 days.

Do not use in horses whose meat is for human consumption.

Shelf-life period

2 years.

Storage

Store in a cool, dark place.

Supply

Vials of 10, 50, 100 and 250 ml.

LICENSE NUMBER: 8035 (AEM SPAIN)